

RFID Inlay Gust NXP Ntag 213

Dimensions (WxH)

15 mm X15 mm (0.585 " X 0.585 ")

DESCRIPTION



Unlock new levels of customer engagement with our NFC inlays—featuring intuitive tap-to-connect technology that delivers enhanced product information directly to the consumer’s device. The small, round design enables versatile placement across a wide range of packaging types, making it ideal for brand storytelling and interactive experiences.

RFID SPECIFICATIONS

Protocol	ISO/IEC 14443A 1-3, NFC Forum T2T
Operating Frequency	13.56 Mhz
Chip Type	Ntag 213
Unique TID / UID	UID 7 byte
EPC Memory	n/a
User Memory	144 bytes freely available user Read/Write area (36 pages)
Tag type	NFC

INDUSTRIES

General Merchandise	Retail Apparel
Retail Cosmetics	Retail Food

APPLICATIONS

Consumer engagement

ARC CATEGORIES

OTHER CERTIFICATIONS



PERFORMANCE

ETSI Read Range	m
FCC Read Range	m

READ RANGE

Free Space, Light, & Heavy Loading Conditions

ORIENTATION SENSITIVITY

ETSI

FCC

HANDLING GUIDELINES

Read our handling and best practice [guidelines](#)