

RFID Inlay Njord Impinj Monza M730

Dimensions (WxH)

42 mm X24 mm (1.638 " X 0.936 ")

DESCRIPTION

Checkpoint's Njord RFID label, your solution for efficient merchandise visibility. With a small antenna footprint and robust performance, it stands as the smallest inlay to meet ARC's F & I specifications for homegoods, denim and polybagged apparel. Versatile integration into a wide range of product types allows for a wide range of applications without compromising on performance, providing efficiency and adaptability in one simple solution.



RFID SPECIFICATIONS

Protocol	ISO/IEC 18000-63:2015 and EPC global Gen2v2 compliant. It also supports Impinj Gen2X
Operating Frequency	860 Mhz - 960 Mhz
Chip Type	Monza M730
Unique TID / UID	96 bits
EPC Memory	128 bits
User Memory	0 bits
Tag type	UHF

INDUSTRIES

Retail Apparel

APPLICATIONS



Inventory visibility



Omnichannel



Store processes (Cycle Count / item locator / POS)

ARC CATEGORIES

Spec I	Spec R	Spec O
Spec F	Spec I and F	SPEC Y2
Spec Q	Spec W5	Spec W6
Spec L		

OTHER CERTIFICATIONS




PERFORMANCE

ETSI Read Range	13.30 m
FCC Read Range	8.40 m

READ RANGE

Free Space, Light, & Heavy Loading Conditions



ORIENTATION SENSITIVITY

ETSI

FCC

