

RFID Inlay Njord Impinj Monza M750

Dimensions (WxH)

42 mm X24 mm (1.638 " X 0.936 ")

DESCRIPTION

Checkpoint's Njord RFID label, your solution for efficient merchandise visibility. With a small antenna footprint and robust performance, it stands as the smallest inlay to meet ARC's F & I specifications for homegoods, denim and polybagged apparel. Versatile integration into a wide range of product types allows for a wide range of applications without compromising on performance, providing efficiency and adaptability in one simple solution.



RFID SPECIFICATIONS

Protocol	ISO/IEC 18000-63:2015 and EPC global Gen2v2 compliant. It also supports Impinj Gen2X
Operating Frequency	860 Mhz - 960 Mhz
Chip Type	Monza M750
Unique TID / UID	96 bits
EPC Memory	96 bits
User Memory	32 bits
Tag type	UHF

INDUSTRIES

Retail Apparel

APPLICATIONS



Inventory visibility



Omnichannel



Store processes (Cycle Count / item locator / POS)

ARC CATEGORIES

Spec I and F	Spec Q	Spec L
Spec W5	Spec I	Spec F
Spec J	Spec R	Spec O
SPEC Y2	Spec W6	

OTHER CERTIFICATIONS




PERFORMANCE

ETSI Read Range	13.30 m
FCC Read Range	8.40 m

READ RANGE

Free Space, Light, & Heavy Loading Conditions



ORIENTATION SENSITIVITY

ETSI

FCC

