

# RFID Inlay Njord P Impinj Monza M750

## Dimensions (WxH)

42 mm X24 mm (1.638 " X 0.936 ")

## DESCRIPTION

Checkpoint's Njord RFID EPC Apparel Label combines a small antenna footprint with strong RFID performance for RFID apparel labeling applications such as inventory control and RFID as EAS. With a small footprint Njord can be integrated into several other trim items such as care labels and pocket tags without compromising performance. Checkpoint's Njord RFID adhesive label is the solution for all of your global supply chain merchandise visibility needs. From @Source solutions to in-store point of sale and EAS programs, Checkpoint has the product portfolio to meet your requirements.



## RFID SPECIFICATIONS

Protocol	ISO/IEC 18000-63:2015 and EPC global Gen2v2 compliant. It also supports Impinj Gen2X
Operating Frequency	860 Mhz - 960 Mhz
Chip Type	Monza M750
Unique TID / UID	96 bits
EPC Memory	96 bits
User Memory	32 bits
Tag type	UHF

## INDUSTRIES

Retail Apparel

## APPLICATIONS



Inventory visibility



Omnichannel




Store processes (Cycle Count / item locator / POS)

## ARC CATEGORIES

Spec F	Spec J	Spec R
Spec I and F	Spec O	SPEC Y2
Spec Q	Spec L	Spec W5
Spec I	Spec W6	

## OTHER CERTIFICATIONS




**PERFORMANCE**

ETSI Read Range	12.00 m
FCC Read Range	8.90 m

**READ RANGE**

Free Space, Light, & Heavy Loading Conditions



**ORIENTATION SENSITIVITY**

ETSI

FCC

